

**BULLETIN No. 7**

---

ISSUED MONTHLY

---

A JOURNAL  
— OF —  
**THERAPEUTIC  
FACTS**  
FOR THE  
**BUSY DOCTOR**

---

ELI G. JONES, M. D., Editor  
Burlington, N. J.

W. E. BREMSER, M. D., Pub.  
1525 Franklin Ave., St. Louis, Mo.

---

St. Louis, Mo., May 1, 1913

# Our Association

is a Grand Brotherhood, composed of the best, the brainy men of all schools of medicine; men who want the best there is in medicine; men who are doing things in their profession, whose heart and soul are in the work of saving human life.

This is a call for every man who loves his fellow-man and his profession, and who wants to do his whole duty by his patient. We want you with us! Will you come and will you do it now.

Membership Fee, only \$2.00

## EDITORIAL.

### A CALL

#### **To Every Physician Who Loves His Profession and His Fellow Men, and Who Wants To Do His Whole Duty By His Patients**

I have given the best years of my life to bring about a better feeling between the Doctors of all schools of Medicine; I have tried to teach them the definite action of remedies, and help them to cure their patients; in short, to help them to do more for the sick than they are doing.

To help our physicians in their work I have written textbooks that tell a Doctor definitely what to do for a sick person. Our Association is the final result of my labors for the good of the whole profession. I know no distinction between the different schools of Medicine; I recognize them all as brothers, my "Latch string is out" to all of them. I have as many friends in one school of Medicine as another.

It has been said that a "house divided against itself cannot stand." Our profession has been a "divided house" for many years, while we as Medical Men have been quarrelling among ourselves and abusing each other, Diseases have multiplied, the mortality of many of them has increased, Many diseases called incurable 50 years ago still remain incurable. While we have been busy watching the "other fellow" to see that he did not get ahead of us, the people of our country have been gradually losing confidence in the Doctors, for the simple reason that while they professed to be able to heal the sick, statistics abundantly prove that they have not made good.

As a result of this peculiar state of things, we suffer today from foes within the profession and foes without. In our profession we have men who by their teaching are making Medical Nihilists of many of our Doctors; as a result of this teaching, many of our Doctors have lost all faith in Medicine to heal the sick, and many of them have drifted out of the profession.

We have today 20,000,000 people who depend on some form of Drugless Healing when they are sick, and the number is rapidly increasing, so that in 1920 they will hold the balance of power in this country. It is a "crisis" in our profession-"our craft is in danger." What is the remedy? It is in organization. Our Association is the advance guard of a movement to better the whole profession, by helping them to be better physicians, to fit them to heal the sick. It is God's work, for it means the saving of human life.

We are not at war with any school of Medicine, neither are we trying to build up any School of Medicine; our sole purpose is to help our Doctors of all schools to do more for the sick than they are doing. It means the lessening of mortality from the diseases common to our country.

Every Doctor that comes into our Association comes in a free man and he leaves it a free man. We are not trying to convert any man to any path or ism. We treat all men who come to our Convention as brothers, as gentlemen, and we expect the same treatment in return.

We realize the fact that if our profession is ever to retain the respect and confidence of the public, we must show them that we can treat successfully the diseases common to our country. The time for theorizing has past. The public don't care anything about your theories; what they look for is results. Every meeting of our Association is a school of Instruction in itself, where Doctors can learn the best, the most definite treatment for each disease.

#### SPECIAL NOTICE.

I would like to hear from any of the members of our Association who have permanently cured a case of Cancer by Medicine. Please send me the facts. Was it diagnosed as Cancer before it came under your treatment? I am getting together the facts for my Report at our next Convention.

W. G. Jefferson, M. D., Chairman "Cancer Commission", 346 Cumberland Avenue, Portland, Me.

Dr. Allston Fogg, Underhill Center, Vt., reports case of Epithelioma of tongue cured by Medicine. Case had been diagnosed as Epithelioma by two Surgeons in Burlington, Vt.

M. W. Curran, M. D., Ex-Editor "Critic," Chatsnorth, N. J., will read a paper at our next Convention on "Post partum Hemorrhage."

William E. Fitch, M. D., New York City, Editor "Pediatrics," will read a paper on "Carbohydrate treatment for Diabetes\_Melitus."

Dr. Samuel H. Starbuck, Seattle, Wash., has been added to our "Cancer Commission" to take the place of Dr. Oscar Jones, resigned.

Robert C. Powell, A. B., Brooklyn, N. Y., will act as "Business Manager" for our Association as well as for the "Bulletin."

O. H. Crandall, M. D., Quincy, Ill., is our oldest member. He was 86 on March 31st. "May his days be long in the land of his fathers."

A "Therapeutic Fact" is what we definitely know about a remedy by actual clinical experience. It should state a clear indication why we give the remedy and what it has done in several cases.

#### OPENING MAMMARY ABSCESS.

In opening an abscess of the female breast, the edge of the scalpel should be towards the nipple, then you won't cut across the milk glands and leave a sore difficult to heal.

#### DIAGNOSTIC POINTS IN SMALL-POX.

Temperature rises rapidly, the eruption has a "shotty" feeling to it, there is excruciating pain in the loins and tongue coated white.

#### REMEDIES FOR BLADDER TROUBLE.

Marked tenesmus of bladder and rectum as in Dysentery or Gonorrhoea indicates Mercurius Corr. 3x, three tablets one in three hours. Constant urging to urinate, can only urinate when on the knees, pressing head against the floor. Tr. Pareira Brava 1st x dil. is the remedy. 10 drops once in 2 hours.

Burning tearing pain, spasm of bladder, can only urinate when lying on the back; the remedy is Tr. Uva Ursi, 5 drops once in two hours. Weakness of the bladder after Apoplexy; urine passes involuntarily, or there seems to be lack of power to start the stream, Causticum 3x is the remedy, three tablets once in three hours.

Nocturnal enuresis in children when there is no tangible cause only habit, the remedy is Tr. Equisetum, 15 drops in half glass of water, teaspoonful once in two hours.

When the baby cries when urinating and there is red sand in the urine, it shows red on baby's napkin, Lycopodium 12x is the remedy, three tablets once in three hours.

Terrible pain from prostrate to rectum on voiding last drops of urine, sensation of a hot wire passing along the urethra when urinating calls for Argentum Nitricum 6x, three tablets once in three hours. In chronic Cystitis with bloody pus in the urine, Tr. Epigea repens 1st x di is the remedy; 10 drops once in three hours.

#### **C 96 SICK HEADACHE.**

For sick headache Tr. Chionanthus 2x five drops once in 3 hours.

#### **C 97 NIGHT SWEATS OF CONSUMPTION.**

For night sweats of Consumption give Picrotoxine 3x, two grains at 5, 7 and 9 pm.

#### **C 98 VENEREAL WARTS AND CONDYLOMATA.**

For venereal warts apply Nitric acid, one fluid dram to pint of water, keep constantly wet with the mixture.

#### **C 99 NIGHT TERRORS IN CHILDREN.**

(Sonambulism). Give Bromide of Gold 3x, two grains three times a day, the last dose at bedtime.

#### **C 100 PERSISTENT ELEVATION OF TEMPERATURE.**

For persistent elevation of temperature in Typhoid Fever; in some cases in spite of all your remedies the temperature still remains high, give:

Salicylic acid, two drams. Carb. Ammonia, three drams. Aqua Menth. Pip. q. s., four ounces. Mix. Sig. Teaspoonful once in two hours.

#### **D 1 SOOTHING SYRUP FOR CHILDREN.**

Tr. Cypripedium.

Co. Tr. Lavender aa, two drams.

Tr. Chamomilla, one-half dram.

Simple syrup q. s., four ounces.

Mix. Sig. Teaspoonful as often as necessary.

#### **D 2 INDICATION FOR MERCURIUS DULCIS (CALOMEL).**

Patient wakes up tired, is afflicted with drowsiness all day, is wakeful at night. This condition is found in bilious subjects and in malarial regions. Mercurious Dulcis 3x is the remedy, three grains 3 times a day.

#### **D 3 DISEASES THAT COME UP SUDDENLY WITH COLD CLAMMY SKIN.**

You may be called to a patient that is taken suddenly ill, pulse weak and small, cold extremities, skin cold and clammy: numbness of extremities. Give Tr. Tela Aranae in 3-drop doses once an hour.

#### **D 4 BABY'S BEST FOOD.**

Sugar of milk one ounce, in water one half pint; boil 15 minutes, then add one half pint fresh milk, then boil again. Give from the bottle moderately warm.

#### **D 5 POORLY NOURISHED BABIES.**

We often meet with babies, thin, scrawny little things, more or less diarrhea. It is difficult to check up the diarrhea; they don't seem to get any strength or nourishment from their food. Such children need pearl barley. Many times in my professional life I have saved the life of a baby with the barley mixture. Add one teaspoonful of pearl barley to one half pint of water, boil it 15 minutes with a little salt; for a young child add half as much cow's milk as there is barley water, sweeten it and give warm from the bottle. You will be surprised to see how it will check up the diarrhea and how fast they will gain in strength and weight.

#### **D 6 APPLICATION OF ONIONS TO THE CHEST IN PNEUMONIA.**

The onion has a very sensitive organism and will absorb all morbid matter that comes in its way. It is also relaxing to the parts where it is applied. During an epidemic of Cholera in England it puzzled the sanitary Inspector, why the tenants of one house in the infected row were not touched by the disease. At last he noticed a string of onions hanging in the fortunate house and on examining them they proved to have become putrid with disease. I have used them as a local application in Pneumonia for over 40 years and find them the best that can be used in that disease.

#### **D 7 UNCONTROLLABLE DESIRE FOR MASTURBATION.**

We have one remedy for this condition that can be depended upon: Tr. Ustilago Maydis 2x dil. 10 drops once in three hours.

#### **D 8 OBSTINATE CASES OF NOCTURNAL ENURESIS.**

Flect. Belladonna, Flect. Nux Vomica aa, one-half ounce. Mix. Sig.: Child 7 to 12 years old, 2 to 5 drops three times a day.

#### **D 9 TO DRY UP MILK IN WOMAN'S BREAST.**

Apply Tr. Belladonna one dram, Olive Oil one ounce. Mix. Sig.: Apply three times a day.

#### **D 10 CALCAREA SULPH. IN SURGERY.**

In crude state is known as Gypsum, in massive state as Alabaster, and minus its water of crystallization as "Plaster of Paris." With the above remedy, Patients are worse in wet weather. Calcarea Sulph. is indicated after suppuration has found vent, and is given to hasten the healing. while Hepar Sulph. conveys moisture to Inflamed areas threatening suppuration; after the suppuration has occurred and has found vent Calcarea Sulph. if given unites with this moisture conveyed to the surrounding tissue and hardens into reparative tissue. Thus it follows up Hepar Sulph., cleans up from the rear and builds in the wasted places of suppuration. It is the remedy for patients that have the "abscess habit," one abscess follows another. Give Calcarea Sulph. 2x, three tablets every three hours. In Impetigo Contagiosa it should be used internally and locally. It works like a charm.

#### **D 11 SILICEA IN SURGERY.**

This remedy is the Physician's lancet. It is the remedy that will cut holes in cellular congestion and obstruction. Silicea is the cellular laxative. Silicea is like a sword, the keener the grinding the more keen the edge. It should be used in 6th, 12th or 30th potency. It is used in Bromidrosis, sweating feet with a bad odor from them; also in Cataract caused by retention or drying up of the perspiration from the feet. In deafness when ears open with a loud report, and there is over-sensitiveness to noise, dullness of hearing. In old fractures that do not unite, Silicea is the remedy. In Neurasthenia when there is profound weakness, patient has "lost his nerve," nervous, irritable, faint-hearted. we think of Silicea as the remedy for such cases. In Scrofula with distended abdomen and the head sweats, Silicea is indicated.

**D 12 FEAR, MENTAL DISTRESS, THE INDICATED REMEDY.**

In patients that need Aconite, the call is apt to be a "hurry call," they want something strong; something that will act quick-no small doses will suit them, they will tell you that they "must have some powerful medicine this time." Patients that require Arsenicum feel that their trouble is incurable, that they are going to die, that no medicine can help them. When Argentum Nitricum is indicated, the patient is generally a "worrid" and seems to delight in it. She is constantly telling of her "aches and pains" to anyone who will listen to her. She won't consult a physician for fear that he will tell her she has Cancer, Heart Disease, or some incurable disease. When she does see a Doctor she is not inclined to believe what he says, for she feels that he is keeping something from her.

**D 13 IODIDE OF ARSENIC IN HAY FEVER.**

There is great irritation in the nostrils, constant desire to sneeze, but he gets no relief from sneezing; profuse watery discharge from nose, burning and acrid that excoriates the upper lip: Give Iodide of Arsenic 6x, three tablets once in three hours.

**D 14 TARTAR EMETIC IN PNEUMONIA.**

When there is great rattling of mucus in the lungs, but patient seems too weak to cough it up; he is afraid to cough for fear it will cause vomiting. The patient is sleepy, face pale, cyanotic, covered with a cold perspiration: Add one grain of the crude drug-Tartar Emetic, to 4 ounces of water, give one teaspoonful once an hour.

**D 15 CHRONIC GONORRHEA (SILICEA).**

In chronic Gonorrhoea, where there is a flight discharge of watery bad smelling matter, Silicea 6x is the remedy.

**D 16 HEPAR SULPH. IN SURGERY.**

It is prepared by fusing the calcined middle layer of oyster shells with flowers of sulphur. It is used in "Definite Medication" in abscess with beating, throbbing, sticking pains. Acute Bronchitis 3rd stage, with soreness of chest, cough loose, rattling respiration, hoarse and wheezing. In Carbuncle 2nd stage, when discharge begins. In Conjunctivitis In 3rd stage the Meibomian glands are effected, edge of lids red and swollen with a secretion that forms yellow crusts. Hepatitis, when there is beating and throbbing in the liver, and abscess forming. Keratitis, 3rd stage of suppuration In Scrofula with constitutional craving for acids, peevish, sensitive disposition. Hepar Sulph. patients are very sensitive to cold air, better in damp, wet weather.

**D 17 DYSMENORRHEA.**

I had two cases of painful menstruation that yielded to Hayden's Viburnum Comp, One fluid dram to two grains of Acetanilid every hour till relieved.

**D 18 CHLORINE WATER.**

Potassium Chlorate, one dram. Acid Hydrochlor, C. P. one dram Aqua Dest. q. s., four ounces. Mix. Big.: Use as a swab locally, as a gargle or to take internally. I have used the above for Quinsy, Tonsillitis and Diphtheria with excellent results.

**D 19 IVY VINE POISONING.**

Make enough caustic potash to make a pint or a half pint of soft water feel soapy to the dry fingers when dipped in it. Then apply this once thoroughly; will invariably cure Rhus. Tax. poisoning. Rhus. Venata poisoning is better cured with local application of strong solution of Salicylic acid.

**D 20 FOR HEART TROUBLE.**

Pl. Ext. Valerian, Hoffman's Anodyne, and Tr. Zingiber aa one ounce. Mix. Sig.: One teaspoonful 2 or 3 times a day. Take a tablespoonful of clear water after each dose. I have used this remedy for 30 years with satisfaction to my patients.

**D 21 SULPHIDE OF LIME IN SMALL-POX.**

Last year I tried Sulphide of Lime in several cases of small-pox, and it certainly modified all the symptoms. By opening the pustules while in the watery stage, and sponging them with a 2 per cent solution of Formaldehyde, the secondary fever was largely prevented, and pitting was almost nil.

**D 22 SPONTANEOUS ABORTION.**

The uterus of many women is affected with a dry or non-exudative Metritis, a condition inhibiting development or muscular expansion; growth of the ovum and uterine expansion causes reflex irritation which results in spontaneous abortion. Washing out the uterus with a 30 or 40 per cent solution of Peroxide of Hydrogen, alternated with a mild alkali antiseptic will control the Metritis and reflex action, and allow of development.

**D 23 PHAGEDENIC CHANCRES.**

Calendula of low alcoholic content used as a local application to phagedenic ulcers will promptly change their appearance, and they will soon take on healthy granulations.

**D 24 POST PARTUM THERAPY.**

It is of great advantage to teach the patient that she should assume the knee-chest position for a few moments before arising from bed, and to back up out of the bed in practically the same position. This will prevent retroversion, because it allows the enlarged uterus to drop forward upon the bladder, and will be retained in that position by the abdominal contents pressing forward and down. wards.

**D 25 TONSILITIS.**

Sp. Tr. Aconite, gtt. five. Sp. Tr. Phytolacca, one-half dram, Sp. Tr. Gelsemium, gtt. twenty. Glycerin, one ounce. Aqua. dist. q. s., four ounces.

Mix. Sig.: Teaspoonful every hour. Paint throat with Tr. Iodine once a day for a few days. This is a cracker-jack, and has stood the test of 20 years.

**D 26 LOCAL HEMASTATIC OR STYPTIC.**

Make a saturated solution of Acetic acid with common table salt, and apply freely to cut, abrasions, or to the bleeding cavity after extraction of a tooth. It is good even for "Bleeders."

**D 27 CONGENITAL NAEVUS, FLAMMEUS.**

Inject boiling water into the naevus. It will disappear if properly done.

**D 28 COLD WATER ENEMA.**

In a case of infantile convulsions from catarrhal fever in a bottlefed baby of five months old, the temperature had reached 107 F. and was going higher and death seemed inevitable. I injected a quart of water from the well into the Colon, using a soft rubber catheter, inserting up the bowel about 8 inches. In less than 5 minutes the temperature dropped to 103 F., then gradually subsided, and child slept quietly and gradually improved.

**D 29 EPISTAXIS.**

1 give Tr. Achillea Mill. One teaspoonful to half tumbler of water, teaspoonful every 10 or 15 minutes till relieved.

### **D 30 CRAMPS OF OLD PEOPLE AT NIGHT.**

When I have an old person complain of cramps in their toes or legs, I give them Magnesia Phos. 3x with good results.

### **D 31 FOR DIPHTHERIA.**

This disease can be cured by giving a mixture of equal parts of Syrup and Sulphurous acid in half teaspoonful doses every one or two hours, or oftener if it is a bad case. Be sure to get the Sulphurous acid with a burning sulphur smell or it will do no good. If fresh it will surprise you how quick it will stop the membrane of Diphtheria, and with very little assistance will cure every case.

### **D 32 TRIPLE SULPHIDES OF ZINC, SODA AND LIME (ABBOTT).**

They are chemically pure and non-irritating to the alimentary canal. They keep down that bloated distress arising from fermentation, and refermentation of the bowels and stomach, the products of which and the bi-products do an infinite amount of mischief to our systems.

### **D 33 IRRITABLE HEART.**

Will give you a new treatment for the condition of the heart, where there is loss of the pulse, or where the heart jumps a cog. Tr. Geditschea will cure this condition. The tincture is made from the whole fruit or pod. (The dose should be given)-Ed.

### **D 34 FOR EARACHE.**

Atrophine Sulph., gr. 1-100; dissolve it in 10 or 15 minims hot sterilized water, allow solution to cool to proper temperature then pour it into the ear. This is also excellent for Tinnitus Aurum.

### **D 35 HARD GRANDULAR SWELLINGS.**

In hard glandular swellings you will find the ointment of Uvadalia a very valuable remedy. It is a good remedy in hard swelling of the Testicles. A good reliable preparation may be obtained from Lloyd or Merrell's.

### **D 36 TO HASTEN PARTURITION**

We have all noticed that labor does not progress favorably until diaphoresis occurs. In the early stage of childbirth the feet are usually cold, place a warm brick to the feet, then give Fl. Ext. Jaborandi, one-third of a teaspoonful in half-glass of water; repeat dose in half an hour until perspiration ensues. One or two doses is generally sufficient. The effect of the medicine is soothing, she becomes more quiet, bears her pains better, and they do not seem to hurt her as they did. After diaphoresis sets in, if you examine your patient you will find the os dilated, in a short time labor will be satisfactorily terminated. It takes the place of Chloroform and the forceps. Be careful and get the green Fl. Ext. Jaborandi. The brown is worthless.

### **D 37 STICTA PULMONARIA IN RHEUMATISM.**

In rheumatism with darting pains in arms, shoulders, fingers, knees or toes, with a dull sleepy feeling, Tr. Sticta Pulmonaria Ix dil. is the remedy; 5 drops once in three hours.

### **D 38 UTERINE DISPLACEMENTS.**

The displacement may be prolapsus, antiversion or retroversion. If there is a feeling of great weight as if the pelvic contents would press out through the vagina, if not prevented by pressing the hand up against the vagina; there is a feeling as if the whole abdominal contents were being dragged downward from the chest and shoulders toward the vagina. With the above symptoms there is frequent desire to urinate, also more or less irritation in the rectum; the above symptoms indicate Tr. Lilium Tigrinum (Tiger Lily), 3x dil., 20 drops in half-glass of water, teaspoonful once in three hours.

**D 39 NEURALGIC DYSMENORRHEA.**

In this form of painful menstruation we can depend upon:

Tr. Cimicifuga.

Tr. Pulsatilla aa, one-half dram. Aqua q. S., four ounces.

Mix. Sig.: Teaspoonful every 15 minutes if pain is very severe.

**D 40 NUX VOMICA IN INDIGESTION.**

If an hour or two after eating there is a sour taste in the mouth, a feeling of pressure with pyrosis and tightness around waist, has to loosen the clothes; mind feels dull, I think of Nux Vomica 2x., three tablets once in three hours. It is the most common form of Indigestion met with in every-day practice, and here the Nux Vomica will prove a "friend in need."

**D 41 NUX VOMICA IN CONSTIPATION.**

This remedy will not cure all forms of constipation. It must be given when indicated. When there is frequent and ineffectual desire for stool, and the patient passes but small quantities of feces at a time, it is the indication for Nux Vomica 2x. Give 3 tablets at bedtime. This remedy works best if it has all night to do its work.

**D 42 SCIATICA.**

In Sciatica when the patient is able to get about, while walking he will involuntarily stoop and grasp the thigh at the upper portion of the Popliteal space; if he is sitting down he is apt to stretch out the leg so that the edge of the chair will press on the Sciatic nerve, this indicates Tr. Colocynth 3x dil., 15 drops in half-glass of water, teaspoonful once an hour.

**D 43 GANGRENE OF THE MOUTH IN CHILDREN.**

This disease under ordinary treatment causes the death of 19 out of 20 children afflicted with it.

Chlorate Potash 3x is the remedy, 10 grs. in glass half full of water, give teaspoonful once an hour, and swab the mouth out with the same.

**D 44 TENDERNESS OF THE BOTTOM OF FEET IN OLD PEOPLE.**

I have found Antimonium crudum 3x indicated in this symptom in rheumatism in old folks. Three tablets once in three hours.

**D 45 HYSTERICAL WOMEN.**

In women of spoiled sensitive natures, that are hysterical, faint easily, have fits and palpitation of heart, Tr. Moschus 3x dil. is the remedy to be depended upon; 15 drops in half-glass of water, teaspoonful once in half an hour.

**D 46 EXTRACTION OF TEETH WITHOUT PAIN.**

Into one-half ounce of Sulph. Ether put 3 drams Camphor; soak cotton in this, apply it around the tooth and into the cavity of the tooth if decayed, then the tooth may be extracted without pain.

**D 47 A COLD IN THE HEAD.**

Everybody like to know how to break up a cold. Put one drop Tr. Aconite, one drop Tr. Nux Vomica and 3 drops Tr. Gelsemium in a one-ounce vial, and fill it up with water. Give a teaspoonful every hour. It will do the work every time.

**D 48 BROMIDE OF CALCIUM FOR CHILDREN.**

In children who grow fast, are lax, lymphatic, nervous, irritable, crying babies; they grow fast, but their flesh is not solid; teeth come slow, and they are slow in learning to walk; there is vomiting, and diarrhea, with symptoms of cerebral troubles. Here we find Bromide of Calcium the remedy.

Allowing one grain for each year of the child's age; in bottle-fed babies we put 2 grains in the bottle of milk or the regular allowance for the day.

**D 49 VAGINISMUS.**

When purely spasmodic and neuralgic, give Atropia 6x one grain, ounce in a hours, and apply a cerate of one grain to the ounce of Vaseline.

**D 50 ODONTALGIA.**

Try Tr. Plantago Major (Plantain) 2x dil. 10 drops once in 15 minutes. It is a splendid remedy for such conditions.

**D 51 PREGNANT WOMEN.**

You will do well to prepare your pregnant woman for her "hour of trial" by giving her medicine, see page 269, "Definite Medication." The birth will be quicker and easier.

**D 52 PHOSPHATE OF LIME FOR THE PREGNANT WOMEN.**

In the last of the fifth month of pregnancy, give the woman Cal. Phos. 3x morning and evening, three tablets. The result will be that it will prevent the decay of the mother's teeth, and the baby will cut its teeth sooner and without any trouble. It will be more apt to be a healthy baby. Don't forget the above fact. A Doctor who wants to get the right side of the ladies must know how to prepare them for childbirth.

**D 53 ECCHYMOSIS.**

To remove the discoloration after a bruise or blow, apply Kali. Mur. lx, one dram to the ounce of Cocoa butter. Use it three times a day.

**D 54 CHRONIC PELVIC CELLULITIS.**

In the above disease Kali Mur. 3x is the remedy indicated, three tablets once in three hours.

**D 55 WHOOPING COUGH.**

If the disease has reached the stage where the cough is spasmodic, with the characteristic "whoop," Magnesia Phos. 3x is the remedy, 3 tablets once in two hours.

**D 56 UNHEALTHY GRANULATIONS.**

An ointment from the distilled oil of Thuja is an excellent remedy for so-called "proud flesh" or fungus granulations in chronic ulcers. It should be applied twice daily. The same application will remove ordinary warts.

**D 57 NIGHT SWEATS.**

For night sweats, I give Nat. Mur. 6x, 5 or 10 grains one hour before retiring and another does at midnight in hot water or dry on the tongue.

**D 58 HICCOUGH.**

Magnesia Phos. 6x. Give 10 grains in hot water; repeat in 2 hours if needed.

**D 59 EARACHE.**

I use Echthyolitin (Mulford) one ounce, Tr. Iodine, one ounce; Boro Glycerine, 50 per cent q. s., four ounces. Mix. Sig.: Warm in teaspoon 5 or 10 drops drop in ear at night; repeat next night if needed.

**D 60 ORCHITIS.**

Magnesium Sulphate two ounces, to water 12 ounces, mix. Wring cotton clothes or gauze; wrap testicle in them, cover with dry cloth. Apply once in 6 hours.

**D 61 ASTHMA.**

Calcium Chloride two drams to water four ounces, Lloyd's Tr. Lobelia q. s. ad. six ounces. Mix. 'Sig. One-half teaspoonful every 2 hours. Make hot solution of Mag. Sulph. 1 to 16 and apply over the chest and cover with dry cloth.

**D 62 CROUP.**

The Subculoyd Lobelia is a good remedy: also Tr. Spongia gtt. 5 in half glass of water. Teaspoonful every 15 minutes.

**D 63 PROTRACTED FEVERS.**

In prolonged fevers, where patient complains of hot flashes with sense of oppression, with or without chilly sensations, give Sp. Chionanthus.

**D 64 ARTERIA-SCLEROSIS.**

The increased arterial tension here indicates not only the disease but the remedy also. Tr. Veratrum Vir. Ix dil. 5 drops once in 3 hours. For the reduction of the blood pressure and to ameliorate the subjective symptoms Muriate Baryta 3x is the remedy, 3 grains three times a day.

**D 65 HEMORRHAGIC DIATHESIS. (BLEEDERS.)**

I have seen children have very severe hemorrhage from the nose, also after extraction of teeth. They seem to be "bleeders" and it is very difficult to check the hemorrhage. In such cases the little patient should take Ferri Phos. 3x, three grains three times a day, and keep them on it for some time; they will grow stronger, and as they mature will gradually get rid of the tendency to hemorrhage.

*Please send in your Therapeutic Facts for the Next Issue, upon receipt of this copy of the Bulletin. Make them short and right to the point.*

*We want items for "Notes from the Firing Line". Send us report of any good cure, of any life that you have saved with your Treatment.*

*Send above facts to the Editor: ELI A. JONES, M. D. BURLINGTON, N. J.*